

Question 32: Have any of your family members or friends experienced problems as a result of abusing prescription pain relievers such as OxyContin, Vicodin, Percocet, or codeine?

		YES	NO	DON'T KNOW	Count
Kentucky Residents		37.5%	60.3%	2.2%	1559
Sex	Male	37.9%	60.3%	1.7%	738
	Female	37.1%	60.2%	2.6%	821
Race	African - American	15.9%	76.6%	7.5%	115
	White	39.2%	59.0%	1.8%	1349
Age	18 to 29	40.1%	57.6%	2.4%	293
	30 to 45	49.5%	49.3%	1.2%	380
	46 to 64	33.3%	66.1%	0.6%	508
	65 and over	29.9%	65.7%	4.4%	342
Education	Less than high school	42.3%	56.0%	1.6%	242
	High school graduate	38.3%	58.7%	3.0%	526
	Some college	35.3%	63.1%	1.5%	461
	College graduate	35.4%	62.1%	2.5%	313
Poverty Status	138% and below FPL	46.4%	52.1%	1.5%	318
	Between 138% and 200% FPL	37.0%	61.9%	1.2%	235
	Above 200% FPL	39.0%	59.4%	1.5%	738
Insurance Status	Insured	37.3%	60.6%	2.1%	1363
	Not insured / Don't know	40.4%	58.9%	0.7%	184
General Health Rating	Excellent / Very good	34.6%	64.1%	1.3%	621
	Good	41.4%	56.0%	2.6%	510
	Fair / Poor	37.3%	59.6%	3.1%	425
Registered to Vote	Yes	35.8%	62.3%	1.9%	1295
	No	46.2%	49.9%	3.9%	255
Party Identification	Democrat	37.3%	60.5%	2.2%	601
	Independent	48.9%	51.0%	0.1%	139
	Republican	38.7%	58.8%	2.4%	647
Geographical Region	Western Kentucky	34.3%	64.9%	0.8%	315
	Louisville Area	39.6%	57.2%	3.2%	318
	Northern Kentucky	37.4%	61.4%	1.2%	302
	Lexington Area	30.3%	67.3%	2.4%	314
	Appalachian ADDs	48.8%	49.0%	2.2%	310
Appalachian Status	R not Appalachian	34.2%	63.3%	2.5%	975
	R born in Appalachia only*	23.5%	74.5%	1.9%	66
	R's parent(s) born in Appalachia only	42.1%	56.7%	1.2%	211
	R and parent(s) both born in Appalachia	47.9%	49.9%	2.2%	307
County Designation	Urban County	33.5%	63.1%	3.4%	518
	Suburban County	40.6%	58.1%	1.3%	339
	Rural, small city	39.0%	59.3%	1.8%	701

Question 33: Have any of your family members or friends experienced problems as a result of using heroin?

		YES	NO	DON'T KNOW	Count
Kentucky Residents		19.9%	77.3%	2.8%	1559
Sex	Male	19.0%	78.5%	2.5%	738
	Female	20.7%	76.1%	3.1%	821
Race	African - American	10.4%	89.6%		115
	White	20.3%	76.6%	3.2%	1350
Age	18 to 29	23.5%	75.4%	1.0%	293
	30 to 45	30.5%	68.3%	1.2%	380
	46 to 64	17.6%	80.0%	2.4%	508
	65 and over	8.3%	85.5%	6.2%	343
Education	Less than high school	27.6%	68.6%	3.8%	242
	High school graduate	19.3%	78.0%	2.7%	526
	Some college	18.0%	79.3%	2.7%	461
	College graduate	16.5%	81.1%	2.4%	313
Poverty Status	138% and below FPL	30.5%	65.8%	3.7%	318
	Between 138% and 200% FPL	20.8%	76.0%	3.1%	235
	Above 200% FPL	17.2%	81.0%	1.8%	738
Insurance Status	Insured	19.0%	78.1%	2.9%	1364
	Not insured / Don't know	26.4%	71.0%	2.6%	184
General Health Rating	Excellent / Very good	19.3%	79.1%	1.6%	621
	Good	21.3%	75.7%	3.0%	510
	Fair / Poor	19.2%	76.4%	4.4%	425
Registered to Vote	Yes	17.9%	79.2%	3.0%	1296
	No	29.1%	68.8%	2.2%	255
Party Identification	Democrat	19.5%	78.4%	2.1%	602
	Independent	29.0%	67.1%	3.9%	139
	Republican	18.4%	78.0%	3.6%	647
Geographical Region	Western Kentucky	14.6%	83.5%	1.9%	315
	Louisville Area	22.6%	75.8%	1.7%	318
	Northern Kentucky	33.7%	65.6%	0.7%	302
	Lexington Area	24.7%	73.4%	1.9%	314
	Appalachian ADDs	17.5%	76.8%	5.7%	310
Appalachian Status	R not Appalachian	20.4%	77.6%	2.0%	975
	R born in Appalachia only*	13.5%	83.4%	3.1%	66
	R's parent(s) born in Appalachia only	16.4%	78.1%	5.5%	211
	R and parent(s) both born in Appalachia	21.9%	74.5%	3.5%	307
County Designation	Urban County	20.1%	78.8%	1.1%	519
	Suburban County	30.5%	67.1%	2.3%	339
	Rural, small city	14.6%	81.1%	4.3%	701

Question 34: Have any of your family members or friends experienced problems as a result of using methamphetamine?

		YES	NO	DON'T KNOW	Count
Kentucky Residents		22.2%	73.8%	4.1%	1555
Sex	Male	22.0%	75.5%	2.5%	734
	Female	22.3%	72.2%	5.5%	821
Race	African - American	7.2%	87.3%	5.5%	115
	White	23.1%	72.9%	4.1%	1346
Age	18 to 29	21.5%	74.1%	4.4%	293
	30 to 45	34.5%	62.4%	3.0%	380
	46 to 64	18.8%	78.0%	3.2%	508
	65 and over	14.3%	79.7%	6.0%	339
Education	Less than high school	29.1%	65.7%	5.2%	242
	High school graduate	20.2%	76.5%	3.3%	526
	Some college	23.8%	72.4%	3.8%	457
	College graduate	18.0%	77.0%	4.9%	313
Poverty Status	138% and below FPL	35.0%	59.5%	5.5%	318
	Between 138% and 200% FPL	20.2%	74.5%	5.3%	231
	Above 200% FPL	21.0%	76.6%	2.4%	738
Insurance Status	Insured	21.6%	74.4%	3.9%	1360
	Not insured / Don't know	27.6%	67.1%	5.3%	184
General Health Rating	Excellent / Very good	19.9%	76.9%	3.3%	621
	Good	27.3%	70.4%	2.3%	510
	Fair / Poor	19.6%	73.0%	7.4%	421
Registered to Vote	Yes	21.8%	74.2%	4.0%	1292
	No	24.6%	71.1%	4.3%	255
Party Identification	Democrat	21.1%	75.1%	3.9%	598
	Independent	38.3%	58.5%	3.2%	139
	Republican	21.9%	73.3%	4.8%	647
Geographical Region	Western Kentucky	22.1%	74.2%	3.6%	313
	Louisville Area	20.8%	76.4%	2.8%	318
	Northern Kentucky	19.5%	76.5%	4.0%	302
	Lexington Area	23.2%	74.8%	1.9%	314
	Appalachian ADDs	27.1%	65.7%	7.1%	310
Appalachian Status	R not Appalachian	19.2%	77.6%	3.2%	975
	R born in Appalachia only*	19.9%	76.4%	3.6%	66
	R's parent(s) born in Appalachia only	24.4%	69.7%	5.9%	207
	R and parent(s) both born in Appalachia	30.6%	63.8%	5.6%	307
County Designation	Urban County	18.2%	78.7%	3.1%	519
	Suburban County	23.8%	71.7%	4.4%	339
	Rural, small city	24.3%	71.1%	4.6%	698

Question 20: Have any of your family members or friends experienced problems as a result of abusing prescription pain relievers such as OxyContin, Vicodin, Percocet, or codeine?

		YES	NO	DON'T KNOW	Count
Ohio Residents		32.6%	66.2%	1.1%	845
Sex	Male	34.1%	65.1%	0.9%	409
	Female	31.3%	67.4%	1.3%	436
Sex and Race Combined	African - American	27.1%	72.9%		80
	White male	34.0%	65.1%	0.8%	340
	White female	31.3%	67.1%	1.6%	364
Age	18 to 29	36.7%	61.2%	2.1%	155
	30 to 45	44.9%	55.1%		181
	46 to 64	35.3%	63.5%	1.2%	288
	65 and over	16.2%	82.6%	1.2%	206
Education	Less than high school	32.7%	67.3%		94
	High school graduate	32.1%	65.8%	2.1%	285
	Some college	35.0%	64.8%	0.2%	253
	College graduate	31.6%	67.0%	1.4%	206
Poverty Status	138% and below FPL	33.1%	66.2%	0.7%	182
	Between 138% and 200% FPL	30.9%	68.4%	0.7%	117
	Above 200% FPL	36.2%	62.9%	0.8%	453
Party Identification	Democrat	32.8%	66.3%	0.9%	319
	Independent	36.2%	62.4%	1.3%	119
	Republican	28.3%	70.4%	1.3%	313
Ideology	Liberal	33.7%	65.3%	1.1%	153
	Moderate	32.6%	65.9%	1.5%	286
	Conservative	31.2%	68.7%	0.2%	294
Registered to Vote	Yes	33.1%	65.8%	1.1%	709
	No	30.5%	68.3%	1.2%	135
Insurance Status	Insured	31.9%	67.0%	1.2%	790
	Not insured / Don't know*	44.9%	55.1%		53
General Health Rating	Excellent / Very good	26.4%	72.3%	1.3%	364
	Good	37.0%	61.6%	1.4%	293
	Fair / Poor	37.6%	62.1%	0.4%	186
Geographical Region	Northeast Ohio	32.9%	66.8%	0.3%	335
	Northwest Ohio	23.5%	75.2%	1.3%	99
	Central Ohio	41.2%	56.1%	2.7%	147
	Southeast Ohio*	35.5%	63.9%	0.6%	64
	Southwest Ohio	29.5%	69.0%	1.4%	199
Rural or Urban County	Urban county	35.3%	63.9%	0.9%	381
	Suburban county	32.3%	66.4%	1.2%	231
	Rural, small city	28.7%	69.9%	1.4%	234

Question 20: Have any of your family members or friends experienced problems as a result of abusing prescription pain relievers such as OxyContin, Vicodin, Percocet, or codeine?

		YES	NO	DON'T KNOW	Count
Total Number of Adverse Childhood Experiences	None	28.0%	70.7%	1.2%	524
	One	40.1%	58.8%	1.1%	230
	Two*	35.8%	63.7%	0.6%	72
	Three*	91.6%	8.4%		10
Friend / Family Member Regularly Uses Marijuana	Yes	52.0%	46.8%	1.1%	385
	No	15.6%	84.0%	0.3%	438
How Much Risk of Harm from Regular Marijuana Use	A great deal	24.2%	75.3%	0.5%	166
	Somewhat	24.2%	73.8%	1.9%	226
	Not too much	36.5%	63.5%		199
	Not at all	45.7%	53.2%	1.0%	228

Question 21: Have any of your family members or friends experienced problems as a result of using heroin?

		YES	NO	DON'T KNOW	Count
Ohio Residents		24.0%	74.8%	1.2%	843
Sex	Male	25.5%	73.7%	0.8%	408
	Female	22.7%	75.8%	1.5%	435
Sex and Race Combined	African - American	19.8%	78.6%	1.6%	80
	White male	24.6%	74.4%	1.0%	340
	White female	23.3%	75.3%	1.5%	363
Age	18 to 29	30.5%	67.7%	1.8%	155
	30 to 45	36.7%	63.3%		181
	46 to 64	24.3%	74.4%	1.3%	288
	65 and over	8.2%	90.2%	1.6%	204
Education	Less than high school	22.5%	75.4%	2.1%	94
	High school graduate	23.5%	74.7%	1.8%	283
	Some college	26.8%	72.9%	0.3%	253
	College graduate	22.4%	76.6%	0.9%	207
Poverty Status	138% and below FPL	27.8%	71.3%	0.9%	182
	Between 138% and 200% FPL	23.9%	75.5%	0.6%	117
	Above 200% FPL	25.0%	73.8%	1.2%	453
Party Identification	Democrat	22.2%	77.0%	0.9%	319
	Independent	26.4%	72.3%	1.3%	119
	Republican	24.0%	74.6%	1.4%	312
Ideology	Liberal	26.2%	73.0%	0.8%	153
	Moderate	23.9%	75.1%	1.0%	286
	Conservative	24.8%	74.2%	1.0%	294
Registered to Vote	Yes	24.0%	74.8%	1.2%	707
	No	24.5%	74.3%	1.2%	135
Insurance Status	Insured	22.3%	76.4%	1.2%	789
	Not insured / Don't know*	50.2%	49.8%		53
General Health Rating	Excellent / Very good	20.3%	77.8%	2.0%	364
	Good	27.4%	71.9%	0.7%	292
	Fair / Poor	26.0%	73.6%	0.4%	186
Geographical Region	Northeast Ohio	23.9%	75.7%	0.4%	335
	Northwest Ohio	19.5%	79.2%	1.3%	99
	Central Ohio	30.9%	66.6%	2.6%	147
	Southeast Ohio*	22.4%	77.6%		64
	Southwest Ohio	22.0%	76.2%	1.8%	198
Rural or Urban County	Urban county	26.2%	73.0%	0.8%	379
	Suburban county	28.6%	70.0%	1.4%	230
	Rural, small city	16.1%	82.4%	1.5%	234

Question 21: Have any of your family members or friends experienced problems as a result of using heroin?

		YES	NO	DON'T KNOW	Count
Total Number of Adverse Childhood Experiences	None	19.7%	79.4%	0.9%	523
	One	32.6%	65.5%	1.9%	230
	Two*	23.8%	76.2%		72
	Three*	64.5%	35.5%		10
Friend / Family Member Regularly Uses Marijuana	Yes	42.2%	57.0%	0.8%	385
	No	8.7%	90.4%	0.9%	438
How Much Risk of Harm from Regular Marijuana Use	A great deal	19.0%	80.2%	0.8%	166
	Somewhat	15.6%	82.8%	1.6%	225
	Not too much	23.1%	76.8%	0.1%	199
	Not at all	38.2%	61.2%	0.6%	228

Question 22: Have any of your family members or friends experienced problems as a result of using methamphetamines?

		YES	NO	DON'T KNOW	Count
Ohio Residents		16.0%	80.5%	3.5%	845
Sex	Male	15.7%	81.1%	3.2%	408
	Female	16.3%	80.0%	3.7%	437
Sex and Race Combined	African - American	7.9%	89.1%	3.0%	80
	White male	15.4%	80.9%	3.7%	340
	White female	16.6%	80.1%	3.3%	364
Age	18 to 29	21.6%	75.6%	2.9%	155
	30 to 45	21.2%	76.3%	2.5%	181
	46 to 64	16.6%	79.2%	4.2%	288
	65 and over	6.7%	89.6%	3.7%	206
Education	Less than high school	28.4%	71.6%		94
	High school graduate	11.5%	83.5%	5.1%	285
	Some college	19.9%	78.0%	2.1%	253
	College graduate	12.4%	83.1%	4.6%	207
Poverty Status	138% and below FPL	24.0%	72.2%	3.8%	182
	Between 138% and 200% FPL	14.6%	81.7%	3.8%	117
	Above 200% FPL	15.0%	82.1%	2.9%	453
Party Identification	Democrat	15.3%	80.7%	4.0%	319
	Independent	20.1%	76.5%	3.4%	119
	Republican	14.9%	81.7%	3.4%	313
Ideology	Liberal	23.8%	74.2%	2.0%	153
	Moderate	14.9%	80.5%	4.6%	286
	Conservative	16.8%	81.0%	2.2%	294
Registered to Vote	Yes	14.1%	81.9%	3.9%	708
	No	26.1%	72.8%	1.1%	135
Insurance Status	Insured	14.9%	81.5%	3.6%	791
	Not insured / Don't know*	34.0%	65.1%	0.9%	53
General Health Rating	Excellent / Very good	11.7%	85.8%	2.5%	364
	Good	17.6%	78.5%	3.9%	293
	Fair / Poor	22.2%	73.3%	4.6%	186
Geographical Region	Northeast Ohio	15.6%	80.5%	4.0%	335
	Northwest Ohio	13.4%	83.8%	2.9%	99
	Central Ohio	21.6%	73.8%	4.6%	147
	Southeast Ohio*	28.1%	70.4%	1.5%	64
	Southwest Ohio	10.1%	87.2%	2.7%	199
Rural or Urban County	Urban county	16.9%	80.2%	2.9%	381
	Suburban county	16.4%	79.4%	4.2%	230
	Rural, small city	14.2%	82.2%	3.5%	234

Question 22: Have any of your family members or friends experienced problems as a result of using methamphetamines?

		YES	NO	DON'T KNOW	Count
Total Number of Adverse Childhood Experiences	None	12.3%	84.9%	2.8%	525
	One	24.5%	71.3%	4.2%	230
	Two*	10.8%	83.7%	5.5%	72
	Three*	64.5%	35.5%		10
Friend / Family Member Regularly Uses Marijuana	Yes	28.8%	66.7%	4.5%	385
	No	5.3%	93.0%	1.7%	438
How Much Risk of Harm from Regular Marijuana Use	A great deal	14.5%	82.0%	3.5%	166
	Somewhat	7.5%	89.1%	3.4%	226
	Not too much	15.0%	82.5%	2.5%	199
	Not at all	27.2%	69.6%	3.2%	228